1	L Number	Hits	Search Text	DB	Time stamp
1				IISPAT:	
20	1	۱ ۲	lowardy 3 with packet with router with multiple		
173		ا م	fowarden with packet with routen with multiple		
3	4	0	lowardy3 with packet with routy3 with multiple		
110		150	formended with modest with norted with multiple		
110	3	1/3	forward \$3 with packet with rout \$3 with multiple		
5			f		
5	4	110	forward\$3 with packet with router with multiple		2004/10/14
1					
1	5	5	forward\$3 with packet with (router adj multiple)		
30			2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		
0	6	7	forward\$3 with packet with (router adj different)		
1					
1	30	0			
"6061733"   "6076077"   "6421687"   "6587842"		1	6757699.URPN.		
"6061733"   "6076077"   "6421687"   "6587842"	32	18	("3703727"   "4751733"   "5555404"   "5629770"   "5802175"	USPAT	2004/10/14 07:15
"6061733"   "6076077"   "6421687"   "6587842"			"5832523"   "5857025"   "5867578"   "5870468"		
"6061733"   "6076077"   "6421687"   "6587842"			"5949882"   "5999622"   "6044469"   "6049609"		
1"2002/038504"   "2003/0018668"     "2002/038504"   "2003/0018668"     "2002/03777")PN.     (fragment\$3 with (data or packet)) same (secur\$3 with data) and (key) same (transmit\$4 or transport\$4)     39			"6061733"   "6075864"   "6076077"   "6421687"   "6587842"		
"2003/007007").PN.   (fagment\$3 with (data or packet)) same (secur\$3 with data)   uSPAT;   uS-PGPUB   uS-PGP					
33   39   (fragment\$3 with (data or packet)) same (secur\$3 with data) and (key) same (transmit\$4 or transport\$5]   USPAT; USPCPUB   USPAT; USP			"2003/0070077").PN.		
and (key) same (transmit\$4 or transport\$4)   USPAT;   USPAT;   USPGPUB   USPAT;	33	39		USPAT;	2004/10/14
39					
and (key) same (transport\$5)	34	30			
35	"	39	and (kev) same (transmit\$4 or transport\$5)		
Secure   S	25	ا م			
36       1       fee with packet with enter\$3 with relay with key       USPAT; US-PGPUB USPAT; US-PGPUB 08:08 2004/10/14 08:09 2004/10/14 08:10 USPAT; US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB USPAT; USPAT	55		Too will packet with ontory with roug with key		
Secur\$ and transport\$3 and stor\$3 and data \) ab.   Secur\$3 and transport\$3 and rediret\$3 and data \) ab.   Secur\$3 and transport\$5 and rediret\$3 and data \) ab.   SepGPUB   Secur\$7;   Secur\$3 and transport\$5 and rediret\$3 and data \) ab.   SepGPUB   Secur\$7;   Secur\$7;   Secur\$3 and data \) ab.   Secur\$7;   Secur\$3 and data \) ab.   Secur\$7;   Secur\$3 and data \) ab.   Secur\$7;   Secur\$3 and transport\$3 and data \) ab.   SepGPUB   Secur\$4;   Secur\$3 and transport\$3 and data \) ab.   SepGPUB   Secur\$4;   Secur\$5;   Secur	26	,	fee with nacket with enter\$2 with relay with key		
37	30	1	lee with packet with enterpy with relay with key		
1   bill\$3 with packet with enter\$3 with key	07	, ,	fee with packet with enter®2 with key		
38	3/	1	lee with packet with enterpy with key		
1   bill\$3 with packet with enter\$3   US-PGPUB   08:09   08:	00	,	hilles with pecket with entanes with key		
39	30	1	bings with packet with entergs with key		
39   (bil\$4 with secur\$3 with packet)   US-PGPUB   USPAT; US-PGPUB   US-P	00		hilleg with neeket with enteres		
40   39   (bil\$4 with secur\$3 with packet )	39	11	binas with packet with enteras		
1 ("20020078227").PN.   US-PGPUB   USPAT;   US-PGPUB   USPAT;   US-PGPUB   USPAT;   US-PGPUB   USPAT;   USPGPUB   USPAT;   USPAT;   USPAT;   USPAT;   USPAT;   USPAT;   USPGPUB   USPAT;   USP			(Lild 4 with assumble with market)		
-   1 ("20020078227").PN.   USPAT; US-PGPUB	40	39	(bil\$4 with secur\$3 with packet)		2004/10/14 08:11
- 0 20020078227.URPN.		_	("aaaaaa=0aa="\ DNI		0004/20/2020
-   0   20020078227.URPN.   USPAT   USPAT   2004/10/12 11:35   2004/10/12   11:35   2004/10/1	-	1	( 200200/8227 J.PN.		2004/10/12 12:31
- 4370 (secur\$3 and transport\$3 ).ab.  0 (secur\$3 and transport\$3 and stor\$3 and data and netowrk ).ab.  0 (secur\$3 and transport\$3 and redirection and data ).ab.  10 (secur\$3 and transport\$3 and rediret\$3 and data ).ab.  10 (secur\$3 and transport\$5 and rediret\$3 and data ).ab.  10 (secur\$3 and transport\$5 and rediret\$3 and data ).ab.  10 (secur\$3 and transport\$5 and rediret\$3 and data ).ab.  10 (secur\$3 and rediret\$3 and data ).ab.  10 (secur\$3 and rediret\$3 and data ).ab.  10 (secur\$3 and rediret\$3 and data ).ab.  11 (secur\$3 and rediret\$3 and data ).ab.  12 (secur\$3 and rediret\$3 and data ).ab.  13 (secur\$3 and data ).ab.  14 (secur\$3 and data ).ab.  15 (secur\$3 and data ).ab.  16 (secur\$3 and data ).ab.  17 (retrieval with key  18 (secur\$4 with transport\$3)  19 (Redirect\$3 adj(packet or data) ) and (secur\$5 with transport\$3)  10 (relay\$3 with secur\$3 with packet)  10 (secur\$3 and transport\$3 ).  15 (relay\$3 with secur\$3 with packet)  16 (secur\$3 and transport\$3 ).  17 (relieval adj key) and (secur\$4 with transport\$3)  18 (relay\$3 with secur\$3 with packet)  19 (secur\$3 adj(packet or data) ) and (secur\$5 with transport\$3)  19 (relay\$3 with secur\$3 with packet)  10 (secur\$3 and transport\$3 ).  10 (secur\$3 and transport\$3 ).  10 (secur\$3 and transport\$3 ).  10 (secur\$3 and transport\$5 and rediret\$3 and data ).ab.  11 (secur\$3 and data ).ab.  12 (secur\$3 and data ).ab.  13 (secur\$3 and data ).ab.  14 (secur\$3 and data ).ab.  15 (secur\$3 and data ).ab.  16 (secur\$3 and data ).ab.  17 (secur\$3 and data ).ab.  18 (secur\$3 and data ).ab.  19 (secur\$3 and data ).ab.  10 (secur\$			occos = Occ = LIDDN		0004/10/1011:05
12:46   12:46   12:46   12:46   12:46   12:46   12:46   12:32   12:47   12:48   12:49   12:4	-				
Code	-	4370	(secur\$3 and transport\$3).ab.		
3.ab.   US-PGPUB   12:32   2004/10/12 12:47   US-PGPUB   USPAT;					
-   0   (secur\$3 and transport\$3 and redirection and data ).ab.   USPAT; US-PGPUB   2004/10/12 12:47   US-PGPUB   USPAT;	-	0			
- 0 (secur\$3 and transport\$3 and rediret\$3 and data ).ab. USPAT; US-PGPUB USPA					
- 0 (secur\$3 and transport\$5 and rediret\$3 and data ).ab. USPAT; US-PGPUB US-PGPUB USPAT; US-PGPUB US-	-	0	(secur\$3 and transport\$3 and redirection and data).ab.		2004/10/12 12:47
- 0 (secur\$3 and transport\$5 and rediret\$3 and data ).ab. USPAT; US-PGPUB - 0 (secur\$3 and rediret\$3 and data ).ab. USPAT; US-PGPUB - 0 (secur\$3 and re-diret\$3 and data ).ab. USPAT; US-PGPUB - 0 (secur\$3 and re-diret\$3 and data ).ab. USPAT; US-PGPUB - 17 (retrieval adj key) and (secur\$4 with transport\$3) USPAT; US-PGPUB - 19 (Redirect\$3 adj(packet or data) ) and (secur\$5 with transport\$3) USPAT; US-PGPUB - 19 (relay\$3 with secur\$3 with packet) USPAT; US-PGPUB - 19 (relay\$3 with secur\$3 with packet) USPAT; US-PGPUB - 19 (relay\$3 with secur\$3 with packet) USPAT; US-PGPUB - 19 (relay\$3 with secur\$3 with packet) USPAT; US-PGPUB					
- 0 (secur\$3 and transport\$5 and rediret\$3 and data ).ab. USPAT; US-PGPUB 12:48 - 3651 retrieval with key USPAT; US-PGPUB 12:49 - 813 retrieval adj key USPAT; US-PGPUB 12:49 - 17 (retrieval adj key) and (secur\$4 with transport\$3) USPAT; US-PGPUB 12:49 - 19 (Redirect\$3 adj(packet or data)) and (secur\$5 with USPAT; US-PGPUB USPAT; US-	-	0	(secur\$3 and transport\$3 and rediret\$3 and data ).ab.		2004/10/12 12:47
- 0 (secur\$3 and rediret\$3 and data ).ab.  - 0 (secur\$3 and re-diret\$3 and data ).ab.  - 7216 (secur\$3 and data ).ab.  - 7216 (secur\$3 and data ).ab.  - 17216 (secur\$3 and data ).ab.  - 183 retrieval with key  - 19 (retrieval adj key) and (secur\$4 with transport\$3)  - 19 (Redirect\$3 adj(packet or data) ) and (secur\$5 with transport\$3)  - 19 (relay\$3 with secur\$3 with packet)  - 10 (relay\$3 with secur\$3 with packet)  - 10 (secur\$3 and data ).ab.  - 17 (secur\$3 and data ).ab.  - 18 (secur\$3 and data ).ab.  - 19 (secur\$3 adj (secur\$4 with transport\$3)  - 10 (secur\$3 and data ).ab.  - 10 (secur\$3 and data ).ab.  - 10 (secur\$3 and data ).ab.  - 11 (secur\$3 and data ).ab.  - 12 (secur\$3 and data ).ab.  - 13 (secur\$3 and data ).ab.  - 14 (secur\$3 and data ).ab.  - 15 (secur\$3 and data ).ab.  - 16 (secur\$3 and data ).ab.  - 17 (secur\$3 and data ).ab.  - 18 (secur\$3 and data ).ab.  - 19 (secur\$3 and data ).ab.  - 10 (secur\$3 and da					, ,
- 0 (secur\$3 and rediret\$3 and data ).ab. USPAT; US-PGPUB	j -	0	(secur\$3 and transport\$5 and rediret\$3 and data ).ab.		2004/10/12 12:47
- 0 (secur\$3 and re-diret\$3 and data ).ab.  - 7216 (secur\$3 and data ).ab.  - 7216 (secur\$3 and data ).ab.  - 3651 retrieval with key  - 813 retrieval adj key  - 17 (retrieval adj key) and (secur\$4 with transport\$3)  - 19 (Redirect\$3 adj(packet or data)) and (secur\$5 with transport\$3)  - 61 (relay\$3 with secur\$3 with packet)  - 10 USPAT; 2004/10/12 US-PGPUB 12:49  - 12 US-PGPUB 12:49  - 13 USPAT; 2004/10/12 12:51  - 14 USPAT; 2004/10/12 12:51  - 15 US-PGPUB USPAT; 2004/10/12 12:54  - 16 USPAT; 2004/10/12 12:54					
- 0 (secur\$3 and re-diret\$3 and data ).ab. USPAT; US-PGPUB US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB 12:48 - 3651 retrieval with key USPAT; 2004/10/12 12:49 - 813 retrieval adj key USPAT; US-PGPUB 12:49 - 17 (retrieval adj key) and (secur\$4 with transport\$3) USPAT; 2004/10/12 12:51 - 19 (Redirect\$3 adj(packet or data) ) and (secur\$5 with transport\$3) USPAT; US-PGPUB	-	0	(secur\$3 and rediret\$3 and data ).ab.		2004/10/12 12:47
- 7216 (secur\$3 and data ).ab. US-PGPUB USPAT; 2004/10/12 12:48 - 3651 retrieval with key USPAT; 2004/10/12 12:49 - 813 retrieval adj key USPAT; 2004/10/12 12:49 - 17 (retrieval adj key) and (secur\$4 with transport\$3) USPAT; 2004/10/12 12:51 - 19 (Redirect\$3 adj(packet or data)) and (secur\$5 with transport\$3) USPAT; 2004/10/12 12:54 - 61 (relay\$3 with secur\$3 with packet) USPAT; 2004/10/12 13:17					
- 7216 (secur\$3 and data ).ab.  109	-	0	(secur\$3 and re-diret\$3 and data ).ab.	USPAT;	2004/10/12 12:47
- 3651 retrieval with key US-PGPUB US-PGPUB 12:48 - 813 retrieval adj key USPAT; US-PGPUB 12:49 - 17 (retrieval adj key) and (secur\$4 with transport\$3) USPAT; US-PGPUB 12:49 - 19 (Redirect\$3 adj(packet or data)) and (secur\$5 with transport\$3) USPAT; US-PGPUB				US-PGPUB	
- 3651 retrieval with key  - 813 retrieval adj key  - 17 (retrieval adj key) and (secur\$4 with transport\$3)  - 19 (Redirect\$3 adj(packet or data)) and (secur\$5 with transport\$3)  - 19 (relay\$3 with secur\$3 with packet)  - 10 (relay\$3 with secur\$3 with packet)  - 17 (Redirect\$3 adj(packet or data)) and (secur\$5 with USPAT; US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB	- :	7216	(secur\$3 and data ).ab.	USPAT;	2004/10/12
- 813 retrieval adj key US-PGPUB USPAT; 2004/10/12 12:49 - 17 (retrieval adj key) and (secur\$4 with transport\$3) USPAT; US-PGPUB			·	US-PGPUB	12:48
- 813 retrieval adj key  - 17 (retrieval adj key) and (secur\$4 with transport\$3)  - 19 (Redirect\$3 adj(packet or data)) and (secur\$5 with transport\$3)  - 19 (Redirect\$3 adj(packet or data)) and (secur\$5 with transport\$3)  - 10 (relay\$3 with secur\$3 with packet)  - 11 (Redirect\$3 adj(packet or data)) and (secur\$5 with transport\$3)  - 12 (Redirect\$3 adj(packet or data)) and (secur\$5 with transport\$3)  - 13 (Redirect\$3 adj(packet or data)) and (secur\$5 with transport\$3)  - 14 (Redirect\$3 adj(packet or data)) and (secur\$5 with transport\$3)  - 15 (Redirect\$3 adj(packet or data)) and (secur\$5 with transport\$3)  - 16 (Redirect\$3 adj(packet or data)) and (secur\$5 with transport\$3)  - 17 (Redirect\$3 adj(packet or data)) and (secur\$5 with transport\$3)  - 17 (Redirect\$3 adj(packet or data)) and (secur\$5 with transport\$3)  - 17 (Redirect\$3 adj(packet or data)) and (secur\$5 with transport\$3)  - 18 (Redirect\$3 adj(packet or data)) and (secur\$5 with transport\$3)	-	3651	retrieval with key	USPAT;	2004/10/12
- 813 retrieval adj key  - 17 (retrieval adj key) and (secur\$4 with transport\$3)  - 19 (Redirect\$3 adj(packet or data)) and (secur\$5 with transport\$3)  - 19 (Redirect\$3 adj(packet or data)) and (secur\$5 with transport\$3)  - 10 (relay\$3 with secur\$3 with packet)  - 11 (Redirect\$3 adj(packet or data)) and (secur\$5 with transport\$3)  - 12 (Redirect\$3 adj(packet or data)) and (secur\$5 with transport\$3)  - 13 (Redirect\$3 adj(packet or data)) and (secur\$5 with transport\$3)  - 14 (Redirect\$3 adj(packet or data)) and (secur\$5 with transport\$3)  - 15 (Redirect\$3 adj(packet or data)) and (secur\$5 with transport\$3)  - 16 (Redirect\$3 adj(packet or data)) and (secur\$5 with transport\$3)  - 17 (Redirect\$3 adj(packet or data)) and (secur\$5 with transport\$3)  - 17 (Redirect\$3 adj(packet or data)) and (secur\$5 with transport\$3)  - 17 (Redirect\$3 adj(packet or data)) and (secur\$5 with transport\$3)  - 18 (Redirect\$3 adj(packet or data)) and (secur\$5 with transport\$3)				US-PGPUB	
- 17 (retrieval adj key) and (secur\$4 with transport\$3) US-PGPUB USPAT; US-PGPUB	-	813	retrieval adj key		
- 17 (retrieval adj key) and (secur\$4 with transport\$3) USPAT; US-PGPUB - 19 (Redirect\$3 adj(packet or data)) and (secur\$5 with transport\$3) USPAT; US-PGPUB - 61 (relay\$3 with secur\$3 with packet) USPAT; US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB					
- 19 (Redirect\$3 adj(packet or data)) and (secur\$5 with transport\$3) - 61 (relay\$3 with secur\$3 with packet)  US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB	-	17	(retrieval adj key) and (secur\$4 with transport\$3)	USPAT;	
- 19 (Redirect\$3 adj(packet or data)) and (secur\$5 with transport\$3)  - 61 (Redirect\$3 adj(packet or data)) and (secur\$5 with USPAT; US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB		·			] ", "
transport\$3) (relay\$3 with secur\$3 with packet)  US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB	-	19	(Redirect\$3 adj(packet or data) ) and (secur\$5 with		2004/10/12 12:54
- 61 (relay\$3 with secur\$3 with packet) USPAT; US-PGPUB 2004/10/12 13:17		-/			', ' , ' =54
US-PGPUB US-PGPUB	-	61			2004/10/12 13:17
			· · · · · · · · · · · · · · · · · · ·		", , ==0:=/
	-	о	20020078227.URPN.		2004/10/12 13:13

Search History 10/14/04 9:01:02 AM Page 1

-	288	(relay\$3 with secur\$3 with(data or packet))	USPAT; US-PGPUB	2004/10/12 13:18
-	24	(relay\$3 with secur\$3 with(data or packet)).ab.	USPAT; US-PGPUB	2004/10/12
-	1	(secur\$3 with packet with key ) and (retrieval with condition)	USPAT; US-PGPUB	13:30   2004/10/12 13:31 
-	3029	(retrieval with condition)	USPAT; US-PGPUB	2004/10/12 13:32
-	1085	(retrieval with condition with data)	USPAT;	2004/10/12
-	О	(retrieval with condition with data) and (secure with relay)	US-PGPUB USPAT;	13:32 2004/10/12
-	9	(retrieval with condition with data) and ( relay with packet)	US-PGPUB USPAT;	13:33 2004/10/12 13:35
-	75	(retriev\$3 with condition with data) and ( relay with packet)	US-PGPUB USPAT; US-PGPUB	2004/10/12
-	113	(secur\$3 with transport\$5).ti.	USPAT;	13:36 2004/10/12 13:37
-	3	(secur\$3 with transport\$5).ti. and 709/\$.ccls.	US-PGPUB USPAT;	2004/10/12
_	0	(secur\$3 with transport\$5 with packet).ti.	US-PGPUB USPAT;	13:38 2004/10/12
-	5	(secur\$3 with transport\$5 with data).ti.	US-PGPUB USPAT;	13:38 2004/10/12
-	1	6480963.URPN.	US-PGPUB USPAT	13:49 2004/10/12
-	o	6732279.URPN.	USPAT	13:39 2004/10/12
-	4	("5689566"   "6049891"   "6128735"   "6230267").PN.	USPAT	13:40 2004/10/12
-	6	6230267.URPN.	USPAT	13:40 2004/10/12
-	21	(secur\$3 and transport\$5 and data and packet).ab.	USPAT; US-PGPUB	13:44 2004/10/12 13:54
<u> </u>	0	20030101346.URPN.	USPAT	2004/10/12 13:53
	133	secur\$3 adj relay	USPAT; US-PGPUB	2004/10/12 13:55
-	73	(secur\$3 adj relay) and (condition)	USPAT; US-PGPUB	2004/10/12 13:58
-	159	secur\$3 adj router	USPAT; US-PGPUB	2004/10/12 13:58
-	9	breakdown adj packet	USPAT; US-PGPUB	2004/10/13 08:48
-	61	secur\$3 with packet with relay\$3	USPAT; US-PGPUB	2004/10/13 08:51
-	58	(random with secur\$3 with (relay or rout\$3))	USPAT; US-PGPUB	08:51 2004/10/13 08:51
-	123	(random with secur\$3 with (relay or rout\$3 or path))	USPAT; US-PGPUB	08:51 2004/10/13 08:55
-	1	(random adj2 secur\$3 adj2 (relay or rout\$3 or path))	USPAT; US-PGPUB	08:55 2004/10/13 08:52
-	1004	(multiple adj2 (rout\$3 or path or relay\$3)) and ( secur\$3 with data)	USPAT; US-PGPUB	08:52 2004/10/13 08:56
-	79	(multiple adj2 (rout\$3 or path or relay\$3)) same (secur\$3 with data)	USPAT; US-PGPUB	2004/10/13 09:02
-	65	(fragment\$3 with (data or packet)) same (secur\$3 with data)	USPAT; US-PGPUB	2004/10/14 07:17
-	О	and (key) 20020010866.URPN.	USPAT	2004/10/13
-	o	(randow adj2 (path or rout\$3 or relay))	USPAT; US-PGPUB	09:57 2004/10/13
-	960	(random adj2 (path or rout\$3 or relay))	USPAT; US-PGPUB	09:58   2004/10/13   09:59
-	45	(random adj2 (path or rout\$3 or relay)) and 709/\$.ccls.	USPAT; US-PGPUB	2004/10/13 10:07
-	18	(forward\$3 with secure with (packet or data or relay) with destination)	USPAT; US-PGPUB	2004/10/13 11:18

-	1	"20010044905" and algorithm	USPAT;	2004/10/13 11:18
			US-PGPUB	
_	1	retrieval with key with router with multiple	USPAT;	2004/10/13 12:55
		-	US-PGPUB	, , ,
-	23	key with router with multiple	USPAT;	2004/10/14
		•	US-PGPUB	06:21